

# TIPP-EX® RAPID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Date: 3/16/2006 Revision date: 11/6/2024 Supersedes version of: 10/25/2023 Version: 18.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : TIPP-EX® RAPID  
UFI : 3NNR-HKMK-U00C-WVA8  
Product code : WQ12  
Type of product : Correction fluid

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Intended for general public  
Use of the substance/mixture : Correction fluid

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

SOCIETE BIC  
12, boulevard Victor Hugo  
92611 CLICHY Cédex, FRANCE  
T +33 01 45 19 52 00, F +33 01 45 19 52 99  
[Bic.Contact@bicworld.com](mailto:Bic.Contact@bicworld.com)

#### 1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	112 +356 2545 6508	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225  
Skin Irrit. 2 H315  
Skin Sens. 1 H317  
STOT SE 3 H336  
Aquatic Chronic 2 H411  
Full text of hazard classes, H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction. Vapours may cause drowsiness and dizziness.  
Toxic to aquatic life with long lasting effects.

# TIPP-EX® RAPID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

Contains

Hazard statements (CLP)

Precautionary statements (CLP)

EUH-statements

Labelling according to: exemption for packages of a capacity of 125ml or less

Hazard pictograms (CLP)



Signal word (CLP)

Hazardous ingredients

Hazard statements (CLP)

Precautionary statements (CLP)

EUH-statements

- : Danger
- : Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics; Hydrocarbons, C7-C9, isoalkanes; Fatty acids, C18-unsatd., dimers, reaction products with N.N-dimethyl-1,3-propanediamine and 1,3-propanediamine; benzyl alcohol
- : H225 - Highly flammable liquid and vapour.  
H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H336 - May cause drowsiness or dizziness.  
H411 - Toxic to aquatic life with long lasting effects.
- : P102 - Keep out of reach of children.  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261 - Avoid breathing vapours.  
P273 - Avoid release to the environment.  
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.  
P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with national regulation.
- : EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
- : GHS02 GHS07 GHS09
- : Danger
- : Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics; Hydrocarbons, C7-C9, isoalkanes; Fatty acids, C18-unsatd., dimers, reaction products with N.N-dimethyl-1,3-propanediamine and 1,3-propanediamine; benzyl alcohol
- : H317 - May cause an allergic skin reaction.  
H336 - May cause drowsiness or dizziness.
- : P261 - Avoid breathing vapours.  
P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with national regulation.
- : EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

### 2.3. Other hazards

To our knowledge, contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0), Hydrocarbons, C7-C9, isoalkanes (64741-66-8), Fatty acids, C18-unsatd., dimers, reaction products with N.N-dimethyl-1,3-propanediamine and 1,3-propanediamine (162627-17-0), 1-methoxy-2-propanol (107-98-2), benzyl alcohol (100-51-6), carbon black (1333-86-4)( <sup>1</sup> ), xylene (1330-20-7)( <sup>1</sup> ), Stoddard solvent (8052-41-3)( <sup>1</sup> ), 2-butanone oxime (96-29-7)( <sup>1</sup> )
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0), Hydrocarbons, C7-C9, isoalkanes (64741-66-8), Fatty acids, C18-unsatd., dimers, reaction products with N.N-dimethyl-1,3-propanediamine and 1,3-propanediamine (162627-17-0), 1-methoxy-2-propanol (107-98-2), benzyl alcohol (100-51-6), carbon black (1333-86-4)( <sup>1</sup> ), xylene (1330-20-7)( <sup>1</sup> ), Stoddard solvent (8052-41-3)( <sup>1</sup> ), 2-butanone oxime (96-29-7)( <sup>1</sup> )

# TIPP-EX® RAPID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Component	
PBT: not relevant – no registration required	Titanium dioxide (13463-67-7)
vPvB: not relevant – no registration required	Titanium dioxide (13463-67-7)

(<sup>1</sup>) Substance(s) in concentration below 0.1 % and displayed on a voluntary basis

To our knowledge, the mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	Titanium dioxide (13463-67-7), Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0), Hydrocarbons, C7-C9, isoalkanes (64741-66-8), Fatty acids, C18-unsatd., dimers, reaction products with N.N-dimethyl-1,3-propanediamine and 1,3-propanediamine (162627-17-0), 1-methoxy-2-propanol (107-98-2), benzyl alcohol (100-51-6), carbon black (1333-86-4)( <sup>1</sup> ), Stoddard solvent (8052-41-3)( <sup>1</sup> ), 2-butanone oxime (96-29-7)( <sup>1</sup> ), xylene (1330-20-7)( <sup>1</sup> )

(<sup>1</sup>) Substance(s) in concentration below 0.1 % and displayed on a voluntary basis

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Titanium dioxide substance with national workplace exposure limit(s) (IE)	CAS-No.: 13463-67-7 EC-No.: 236-675-5 REACH-no: 01-2119489379-17	20 – 40	Not classified
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	CAS-No.: 64742-49-0 EC-No.: 927-510-4 REACH-no: 01-2119475133-43	20 – 40	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Hydrocarbons, C7-C9, isoalkanes	CAS-No.: 64741-66-8 EC-No.: 921-728-3 REACH-no: 01-2119471305-42	5 – 10	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Fatty acids, C18-unsatd., dimers, reaction products with N.N-dimethyl-1,3-propanediamine and 1,3-propanediamine	CAS-No.: 162627-17-0 EC-No.: 605-296-0 REACH-no: 01-2119970640-38	0,1 – 1	Skin Sens. 1A, H317
1-methoxy-2-propanol substance with national workplace exposure limit(s) (IE, MT); substance with a Community workplace exposure limit	CAS-No.: 107-98-2 EC-No.: 203-539-1 EC Index-No.: 603-064-00-3 REACH-no: 01-2119457435-35	0,1 – 1	Flam. Liq. 3, H226 STOT SE 3, H336
benzyl alcohol	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5	< 0,3	Acute Tox. 4 (Oral), H302 (ATE=1620 mg/kg bodyweight) Eye Irrit. 2, H319 Skin Sens. 1B, H317

# TIPP-EX® RAPID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
carbon black substance with national workplace exposure limit(s) (IE)	CAS-No.: 1333-86-4 EC-No.: 215-609-9	< 0,05	Not classified
Stoddard solvent substance with national workplace exposure limit(s) (IE) (Note P)	CAS-No.: 8052-41-3 EC-No.: 232-489-3 EC Index-No.: 649-345-00-4	< 0,01	Flam. Liq. 3, H226 Skin Irrit. 2, H315 STOT RE 1, H372 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
2-butanone oxime substance with national workplace exposure limit(s) (IE)	CAS-No.: 96-29-7 EC-No.: 202-496-6 EC Index-No.: 616-014-00-0	< 0,01	Carc. 1B, H350 Acute Tox. 4 (Dermal), H312 (ATE=1100 mg/kg bodyweight) Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) STOT SE 3, H336 STOT SE 1, H370 STOT RE 2, H373 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
xylene substance with national workplace exposure limit(s) (IE, MT); substance with a Community workplace exposure limit	CAS-No.: 1330-20-7 EC-No.: 215-535-7 EC Index-No.: 601-022-00-9	< 0,01	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 (ATE=1100 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Chronic 3, H412

Note P: Note P : The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7). When the substance is not classified as a carcinogen at least the precautionary statements (P102-)P260-P262- P301 + P310-P331 (Table 3.1) or the S-phrases (2-)23-24-62 (Table 3.2) shall apply. This note applies only to certain complex oil-derived substances in Part 3.

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: In all cases of doubt, or when symptoms persist, seek medical attention.
First-aid measures after inhalation	: Move the affected person away from the contaminated area and into the fresh air. If the person feels unwell : Call a POISON CENTER/doctor.
First-aid measures after skin contact	: Take off contaminated clothing and wash it before reuse. Wash immediately with plenty of soap and water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open. If irritation persists, consult an eye specialist.
First-aid measures after ingestion	: Do not induce vomiting. Seek medical advice (show the label where possible).

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Drowsiness. Giddiness.
Symptoms/effects after skin contact	: Irritation. Redness. Pain. May cause an allergic skin reaction.

# TIPP-EX® RAPID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : Foam. Powder. Carbon dioxide (CO<sub>2</sub>).  
Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

### 5.2. Special hazards arising from the substance or mixture

- Explosion hazard : The vapours are denser than air and may travel along the ground. Distance ignition possible.  
Hazardous decomposition products in case of fire : On heating or during combustion : Toxic vapours may be released. Carbon oxides (CO, CO<sub>2</sub>). Various hydrocarbon fragments.

### 5.3. Advice for firefighters

- Precautionary measures fire : Evacuate the danger area. Cool down the containers exposed to heat with a water spray. Contain the extinguishing fluids by bunding (the product is hazardous for the environment).  
Protection of fire-fighters : Do not attempt to take action without suitable protective equipment. Complete protective clothing. Self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

- Emergency procedures : Avoid contact with skin and eyes. Do not breathe vapours, mist, spray. No flames, no sparks. Eliminate all sources of ignition. Do not smoke. In case of important spillage : Mark out the contaminated area with signs and prevent access to unauthorized personnel. Prevent the product from entering drains or confined areas. Ventilate spillage area. Stop leak if safe to do so. Use only non-sparking tools.

#### For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Contain the spilled material by bunding (product is hazardous for the environment). Do not discharge into drains or rivers.

### 6.3. Methods and material for containment and cleaning up

- For containment : Absorb spillage with: inert absorbent material. Sand/earth.  
Methods for cleaning up : Sweep up or vacuum up the product.  
Other information : Dispose of contaminated materials in accordance with current regulations.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Vapour exhaust preferably at emission point. Use explosion-proof equipment. Use non-sparking tools. Avoid contact with skin and eyes. Do not breathe vapours, mist, spray. No flames, no sparks. Eliminate all sources of ignition. Smoking is forbidden. Take precautionary measures against static discharges. Do not overheat the product.  
Hygiene measures : Do not drink, eat or smoke in the workplace. Always wash hands after handling the product.

# TIPP-EX® RAPID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: The floor of the depot must be impermeable, non-combustible and designed to form a basin, in order that stored flammable liquids should not, under any circumstances, be released outside. Ground/bond container and receiving equipment.
Storage conditions	: Store in a cool, well-ventilated place. Keep container tightly closed. Avoid ignition sources. Keep away from naked flames/heat.
Incompatible materials	: Strong oxidizing agents. Oxidizing materials.
Packaging materials	: Store in original container.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### National occupational exposure and biological limit values

Titanium dioxide (13463-67-7)	
<b>Ireland - Occupational Exposure Limits</b>	
Local name	Titanium dioxide
OEL TWA	10 mg/m <sup>3</sup> total inhalable dust 4 mg/m <sup>3</sup> respirable dust
Regulatory reference	Chemical Agents Code of Practice 2021
1-methoxy-2-propanol (107-98-2)	
<b>EU - Indicative Occupational Exposure Limit (IOEL)</b>	
Local name	1-Methoxypropanol-2
IOEL TWA	375 mg/m <sup>3</sup> 100 ppm
IOEL STEL	568 mg/m <sup>3</sup> 150 ppm
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
<b>Ireland - Occupational Exposure Limits</b>	
Local name	Propylene glycol monomethyl ether [1-Methoxypropan2-ol]
OEL TWA	375 mg/m <sup>3</sup> 100 ppm
OEL STEL	568 mg/m <sup>3</sup> 150 ppm
Remark	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2024
<b>Malta - Occupational Exposure Limits</b>	
Local name	1-Methoxy-2-propanol
OEL TWA	375 mg/m <sup>3</sup> 100 ppm
OEL STEL	568 mg/m <sup>3</sup>

# TIPP-EX® RAPID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1-methoxy-2-propanol (107-98-2)	
	150 ppm
Remark	Skin # Ġilda
Regulatory reference	S.L. 424.24 - Chemical Agents at Work Regulations (L.N. 356 of 2021) # L.S. 424.24 - Regolamenti dwar Aġenti Kimiċi fuq il-Post tax-Xogħol (A.L. 356 tal-2021)
carbon black (1333-86-4)	
Ireland - Occupational Exposure Limits	
Local name	Carbon black
OEL TWA	3 mg/m <sup>3</sup> I (Inhalable Fraction)
OEL STEL	7 mg/m <sup>3</sup>
Regulatory reference	Chemical Agents Code of Practice 2021
xylene (1330-20-7)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Xylene, mixed isomers, pure
IOEL TWA	221 mg/m <sup>3</sup>
	50 ppm
IOEL STEL	442 mg/m <sup>3</sup>
	100 ppm
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
Ireland - Occupational Exposure Limits	
Local name	Xylene, mixed isomers
OEL TWA	221 mg/m <sup>3</sup>
	50 ppm
OEL STEL	442 mg/m <sup>3</sup>
	100 ppm
Remark	IOELV (Indicative Occupational Exposure Limit Values), Skin (Substances which have the capacity to penetrate intact skin when they come in contact with it and be absorbed into the body. A substantial contribution to the total body burden via dermal exposure is possible)
Regulatory reference	Chemical Agents Code of Practice 2024
Ireland - Biological limit values	
Local name	Xylene
BMGV	1.5 g/g creatinine Parameter: methylhippuric acids - Medium: urine - Sampling time: End of Shift
Regulatory reference	Biological Monitoring Guidelines (HSA, 2011)
Malta - Occupational Exposure Limits	
Local name	Xylene, mixed isomers, pure # Xylene, Isomeri mhallta, puri
OEL TWA	221 mg/m <sup>3</sup>
	50 ppm
OEL STEL	442 mg/m <sup>3</sup>

# TIPP-EX® RAPID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

xylene (1330-20-7)	
	100 ppm
Remark	Skin # Ġilda
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)
Stoddard solvent (8052-41-3)	
Ireland - Occupational Exposure Limits	
Local name	Stoddard solvent [White spirit]
OEL TWA	573 mg/m <sup>3</sup> 100 ppm
Remark	Carc.1B (Substances presumed to have carcinogenic potential for humans), Muta.1B (Substances which should be regarded as if they induce heritable mutations in the germ cells of humans)
Regulatory reference	Chemical Agents Code of Practice 2021
2-butanone oxime (96-29-7)	
Ireland - Occupational Exposure Limits	
Local name	Methyl ethyl ketoxime
OEL TWA	10 mg/m <sup>3</sup> 3 ppm
OEL STEL	33 mg/m <sup>3</sup> 10 ppm
Remark	Sens. (In the workplace respiratory or dermal exposures to sensitising agents may occur. Sensitizers may evoke respiratory or dermal reactions, e.g. asthma, rhinitis and allergic contact dermatitis. The notation does not distinguish between respiratory or dermal sensitisation. Chemical agents that are sensitizers present special problems in the workplace. Should an employee become sensitised, subsequent exposure may cause intense responses, even at low exposure concentrations well below the OELV. Exposure should be eliminated or significantly reduced through control measures such as engineering and process controls and use of personal protective equipment (PPE))
Regulatory reference	Chemical Agents Code of Practice 2021

## 8.2. Exposure controls

### Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station. Extraction to remove vapours at their source.

### Personal protection equipment

#### Eye and face protection

##### Eye protection:

Safety glasses with side shields. (EN ISO 16321-1)

#### Skin protection

##### Skin and body protection:

Protective non-flammable clothing

##### Hand protection:

Nitrile-rubber protective gloves. Protective gloves made of PVA. The protective gloves to be used must comply with the specifications of the regulation 2016/425 and the resultant standard ISO 374-1. Breakthrough time : refer to the recommendations of the supplier

# TIPP-EX® RAPID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment (A/P3 [EN 140; EN 14387; EN 143])

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: white.
Odour	: Solvent.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: 76 °C (EN ISO 3405)
Flammability	: Not applicable
Oxidising properties	: Non oxidizing.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: < 25 °C (ASTM D3828)
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not applicable
Viscosity, kinematic	: 244.5 mm <sup>2</sup> /s (40°C ; ASTM D 2196M)
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1.1 – 1.3 g/cm <sup>3</sup>
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Highly flammable liquid and vapour.

### 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

### 10.3. Possibility of hazardous reactions

Flammable or explosive vapour/air mixtures may be formed.

### 10.4. Conditions to avoid

Heat. Sparks. Open flame. Ignition sources.

### 10.5. Incompatible materials

Strong oxidizing agents. Strong reducing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# TIPP-EX® RAPID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)  
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)  
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Titanium dioxide (13463-67-7)	
LD50 oral rat	> 5000 mg/kg (OECD 425 method)
LC50 Inhalation - Rat	> 3.56 mg/l/4h

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	3160 mg/kg
LC50 Inhalation - Rat	> 12 mg/l/6h

Hydrocarbons, C7-C9, isoalkanes	
LD50 oral rat	> 7000 mg/kg
LD50 dermal	2200 – 2500 (rabbit)
LC50 Inhalation - Rat [ppm]	> 5.04 ppm/4h

1-methoxy-2-propanol (107-98-2)	
LD50 oral rat	3503 – 4915 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat [ppm]	> 7000 ppm (OECD 403 method) (6 Hours)

benzyl alcohol (100-51-6)	
LD50 oral rat	1620 mg/kg (Published data)

carbon black (1333-86-4)	
LD50 oral rat	> 10000 mg/kg

Skin corrosion/irritation : Causes skin irritation.  
pH: Not applicable

Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)  
pH: Not applicable

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

STOT-single exposure : May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

TIPP-EX® RAPID	
Viscosity, kinematic	244.5 mm <sup>2</sup> /s (40°C ; ASTM D 2196M)

#### 11.2. Information on other hazards

No additional information available

# TIPP-EX® RAPID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 12: Ecological information

#### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

#### Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0)

EC50 - Crustacea [1]	2.6 mg/l
----------------------	----------

#### Hydrocarbons, C7-C9, isoalkanes (64741-66-8)

LC50 - Fish [1]	8.3 mg/l/96h (Pimephales promelas)
-----------------	------------------------------------

#### 1-methoxy-2-propanol (107-98-2)

LC50 - Fish [1]	≥ 1000 mg/l/96h (Oncorhynchus mykiss)
-----------------	---------------------------------------

ErC50 algae	> 1000 mg/l (7 days) (Pseudokirchneriella subcapitata)
-------------	--

#### carbon black (1333-86-4)

LC50 - Fish [1]	> 1000 mg/l
-----------------	-------------

EC50 - Crustacea [1]	> 5600 mg/l
----------------------	-------------

ErC50 algae	> 10000 mg/l
-------------	--------------

#### 12.2. Persistence and degradability

##### TIPP-EX® RAPID

Persistence and degradability	Mixture based on substances which are not readily biodegradable.
-------------------------------	--

##### 1-methoxy-2-propanol (107-98-2)

Persistence and degradability	96 % biodegradation (28 days), Readily biodegradable.
-------------------------------	---

#### 12.3. Bioaccumulative potential

##### 1-methoxy-2-propanol

Partition coefficient n-octanol/water (Log Pow)	< 1
---	-----

Bioaccumulative potential	Not potentially bioaccumulable.
---------------------------	---------------------------------

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

##### Component

Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0), Hydrocarbons, C7-C9, isoalkanes (64741-66-8), Fatty acids, C18-unsatd., dimers, reaction products with N,N-dimethyl-1,3-propanediamine and 1,3-propanediamine (162627-17-0), 1-methoxy-2-propanol (107-98-2), benzyl alcohol (100-51-6), carbon black (1333-86-4)(!), xylene (1330-20-7)(!), Stoddard solvent (8052-41-3)(!), 2-butanone oxime (96-29-7)(!)
--	--

Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0), Hydrocarbons, C7-C9, isoalkanes (64741-66-8), Fatty acids, C18-unsatd., dimers, reaction products with N,N-dimethyl-1,3-propanediamine and 1,3-propanediamine (162627-17-0), 1-methoxy-2-propanol (107-98-2), benzyl alcohol (100-51-6), carbon black (1333-86-4)(!), xylene (1330-20-7)(!), Stoddard solvent (8052-41-3)(!), 2-butanone oxime (96-29-7)(!)
---	--

PBT: not relevant – no registration required	Titanium dioxide (13463-67-7)
--	-------------------------------

# TIPP-EX® RAPID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Component

vPvB: not relevant – no registration required      Titanium dioxide (13463-67-7)

(<sup>1</sup>) Substance(s) in concentration below 0.1 % and displayed on a voluntary basis

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Discharging into rivers and drains is forbidden. Dispose of in accordance with relevant local regulations. Destroy at an authorised site.

Additional information : The user's attention is drawn to the possible existence of specific european, national or local regulations regarding disposal.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
UN 1139	UN 1139	UN 1139	UN 1139	UN 1139
<b>14.2. UN proper shipping name</b>				
COATING SOLUTION	COATING SOLUTION (Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics)	Coating solution	COATING SOLUTION	COATING SOLUTION
<b>14.3. Transport hazard class(es)</b>				
3	3	3	3	3
<b>14.4. Packing group</b>				
II	II	II	II	II
<b>14.5. Environmental hazards</b>				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-E EmS-No. (Spillage): S-E	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR)

: F1

Special provisions (ADR)

: 640D

# TIPP-EX® RAPID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP8
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Operation (ADR)	: S2, S20
Hazard identification number (Kemler No.)	: 33
Orange plates	:



Tunnel restriction code (ADR)	: D/E
-------------------------------	-------

### Transport by sea

Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP8
Stowage category (IMDG)	: B
Properties and observations (IMDG)	: Miscibility with water depends upon the composition.
MFAG-No	: 127;128

### Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3L

### Inland waterway transport

Classification code (ADN)	: F1
Special provisions (ADN)	: 640D
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E2
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1

### Rail transport

Classification code (RID)	: F1
Special provisions (RID)	: 640D
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1, TP8
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE7
Hazard identification number (RID)	: 33

# TIPP-EX® RAPID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

#### Indication of changes:

This sheet was updated (refer to the date at the top of this page). see section(s) : 2).

#### Abbreviations and acronyms:

CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
EC-No.	European Community number
LC50	Median lethal concentration
EC50	Median effective concentration
LD50	Median lethal dose
PBT	Persistent Bioaccumulative Toxic
vPvB	Very Persistent and Very Bioaccumulative
OEL	Occupational Exposure Limit

# TIPP-EX® RAPID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Abbreviations and acronyms:

RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods

Data sources : SDS of suppliers. ECHA (European Chemicals Agency).

### Full text of H- and EUH-statements:

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 1B	Carcinogenicity, Category 1B
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H350	May cause cancer.
H370	Causes damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

# TIPP-EX® RAPID

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Full text of H- and EUH-statements:

Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 1	Specific target organ toxicity – single exposure, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Flam. Liq. 2	H225	On basis of test data
Skin Irrit. 2	H315	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H336	Calculation method
Aquatic Chronic 2	H411	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.